




Tailor-made garage doors,
jewellery for your home



CORD DOOR
SYSTEMS

A garage door with a personal signature

Your house is beautiful, but possibly misses the finishing touch of an attractive and practical garage door. You are looking for a reliable and durable product that can be operated easily and safely. But mainly a garage door that is made based on your personal wishes and that is in complete harmony with your home.

Every garage door that leaves our factory is built to order.

We offer you an extensive range of quality materials, in a variety of styles, surface textures and designs. The options are clearly listed in the annex. You can combine them to your heart's delight. The colour of your garage door can also be chosen to match your taste and the appearance of your house. Thanks to the door's construction (horizontal panels), you can use the space in your garage to the optimum.

Our garage doors meet the most stringent European safety and durability guidelines. For decades, our doors have provided a reliable and easy-to-operate way to close off openings in external walls exposed to a wide range of changing weather conditions (temperature, wind and water). From Norway and Great Britain to, for instance, Germany and Spain.

This brochure gives a detailed overview of our product range. Based on this, together with you we can determine the specifications of your door. For you as well, we will be happy to make an affordable and exclusive garage door that completely meets your individual wishes.

Contents

A garage door with a personal signature	Page 2
10 Year Royal Guarantee	Page 3
Safety above everything	Page 4
High-Line, elegant class	Page 6
High-Line Woodgrain, with a woodgrain texture	Page 7
High-Line Stucco, decorative texture effect	Page 8
High-Line Satin, smooth surface	Page 9
Wood-Line, from the best 'wood'	Page 10
Design-Line, architectural statement	Page 12
Top-Line, ultimate creative freedom	Page 14
Options and accessories	Page 16
Guide rail systems	Page 17
Smart technology	Page 19

10 Year Royal Guarantee

A garage door must be attractive and match the atmosphere of your home.
Moreover, you want a door that is guaranteed to be durable and safe.
That applies to the construction, the materials used and to all of the parts.
We guarantee the best quality.

Only high-quality and durable materials are used in the fabrication of our garage doors. They are inspected and certified by the Dutch foundation for facade element quality - Stichting Kwaliteit Gevelelementen (RC2). Of course, our doors also conform to the European EN 13241-1 standard, which is obligatory for CE marking.

We manufacture every garage door professionally and to specification and it is thoroughly checked before delivery. Therefore, we give a full 10-year manufacturer's guarantee on your entire door. Including the parts that can wear, such as: torsion springs, lifting cables, hinges and rollers. The clear conditions that apply to this guarantee are available on request.

ROYAL GUARANTEE

Only the king of doors has a Royal Guarantee

TÜV Rheinland Nederland B.V.
Westervoortsedijk 73
6827 AV ARNHEM
The Netherlands

TÜVRheinland®
Precisely Right.

Statement 89209669-01-v1,
regarding Initial Type Test reports

Date: 10 November 2016

Tests in the frame work of CE declaration of conformity according to EN 13241-1,
Industrial, commercial and garage doors and gates – Product standard – Part 1: Products without
fire resistance or smoke control characteristics (For details is referred to the original test reports).


The garage doors with types: R60, G100, G200 and the industrial door types: LS low system, NS normal system, HS
high system, VS vertical system, in the configurations as mentioned in the reports, manufactured by ConDoor Group
BV, have been tested at various laboratories according to European standard EN 13241-1. The test results and the
content of this Summary exclusively relate to the tested samples.


Company	Name	ConDoor Group BV
	Address	Handelsweg 31
	City	NL - 3899 AA Zeewolde
	Country	The Netherlands
Production location	Name	ConDoor Group BV
	Address	Handelsweg 31
	City	NL - 3899 AA Zeewolde
	Country	The Netherlands
Product	ConDoor garage doors R60, G100, G200	
	ConDoor industrial doors LS low system, NS normal system, HS high system, VS vertical system	
Maximum mass	1.000 kg	
Daylight maximum	Width: 12.200 mm, Height: 10.000 mm (max. 80m ²)	

For further specifications and all report numbers and related test standards is referred to Annex 1 of this Statement.

Remark: This Summary of test report is not a certificate of CE compliance and/or shall not be confused with the
Evaluation of Conformity Certificate as required for CE marking for products with fire resistance characteristics.

Signatures


R. Brandhorst (Project leader)


Mrs C.C.M van Houten (Manager Operations)

SP

SP Swedish National Testing and Research Institute has as Notified Body no. 0402,
performed Initial type – testing of the products mentioned below, and the report may
be used as support for an EC Declaration of Conformity according to the requirements
in the harmonized standard EN 13 241-1:2003.

**Initial Type – Testing Report for EC Declaration of Conformity
for Garage Door : 0402 – CPD – 40 22 02**

Issued for Manufacturer / Factory

Product name and description
Garage door type

**Initial Type – Testing Report for EC Declaration of Conformity
for Industrial Door : 0402 – CPD – 40 70 02**

SP Swedish National Testing and Research Institute has as Notified Body no. 0402,
performed Initial type – testing of the products mentioned below, and the report may
be used as support for an EC Declaration of Conformity according to the requirements
in the harmonized standard EN 13 241-1:2003.

Issued for Manufacturer / Factory

Product name and description
Industrial door type :

SP Technical Research Institute of Sweden
Building Technology and Mechanics - Solid Mechanics and Structures


LARS ANDERSSON

SP Technical Research Institute of Sweden

Head office	Office Sweden	Customer Service	IT and Network	Book office	Product development	Play office
SP	SP	SP	SP	SP	SP	SP
Box 101	Box 101	Box 101	Box 101	Box 101	Box 101	Box 101
SE-101 101	SE-101 101	SE-101 101	SE-101 101	SE-101 101	SE-101 101	SE-101 101
0800 00 00 00	0800 00 00 00	0800 00 00 00	0800 00 00 00	0800 00 00 00	0800 00 00 00	0800 00 00 00
0800 00 00 00	0800 00 00 00	0800 00 00 00	0800 00 00 00	0800 00 00 00	0800 00 00 00	0800 00 00 00



DESIGN-LINE ANTRA

Safety first

Safety in and around your home is important. Therefore, safety is the prime consideration for the construction and operation of our garage doors.

Your garage door must operate reliably for years and be safe and easy to use. It goes without saying that you must also be able to lock the door.

Finger protection

All doors in our product range are fitted with finger guards as standard. These guards are a statutory requirement that prevent your fingers being pinched between the panels when opening and closing the door.



Spring break safety device

Our doors are fitted as standard with the statutory spring break safety device. This ensures that in unforeseen situations the door does not suddenly close, which could cause damage or unsafe situations.



Burglary protection

Unfortunately, burglary is a common occurrence. It is therefore important that your garage door is secure. As an option, our doors can be fitted with locks bearing a quality mark from the Dutch foundation for facade element quality - Stichting Kwaliteit Gevelementen (SKG). The SKG quality mark is an important security aspect of the Dutch Police quality mark Veilig Wonen®.

Anti-lift device

If your garage door is operated by an electric motor, it is automatically protected by an anti-lift device. The motor protects your door from being lifted by generating resistance when someone tries to open the door by hand.

Safety edge

Our electrically operated garage doors are equipped as standard with a force limiter. This ensures that in the event of slight resistance, from for instance your child or car, the door automatically opens.



TOP-LINE



High-Line, elegant allure

For many people, the High-Line garage door provides the perfect combination of durability, functionality and allure.

It is not without reason that the doors from the High-Line series are the most commonly sold doors in our product range. The series comprises three clear surface textures, WOODGRAIN, STUCCO and SATIN. In addition, for each texture you can choose from various types of lining, ranging from modern to classic. Your door is made to measure and supplied in the colour you desire.



High-Line WOODGRAIN, embossment with wood texture

A garage door must be attractive and be in keeping with the atmosphere generated by your home. The High-Line WOODGRAIN aligns perfectly with practically every home.

The Woodgrain surface refers to a wood surface texture, the classical type of garage door. You can combine your favourite texture with four types of lining. The WOODGRAIN Cassetta is the most classical door in our product range. The beautiful cassettes refer to the traditional wooden doors. The WOODGRAIN Plancha appears to be made of narrow wooden planks, while the Woodgrain Ligna has wider planks. Choose the WOODGRAIN Plano if you want tranquil simple lining.

You can also choose the colour to match the colour scheme of your home. With its robust appearance, a High-Line WOODGRAIN garage door is always a perfect choice!

PLANO

WOODGRAIN without
horizontal lining

LIGNA

WOODGRAIN with
ONE deep line

PLANCHA

WOODGRAIN with
MULTIPLE deep lines

CASSETTA

WOODGRAIN with
CASSETTES

HIGH-LINE WOODGRAIN PLANCHA



High-Line STUCCO, decorative surface texture effect

The STUCCO surface has been designed for durability. The beautiful STUCCO guarantees a long life and is very durable.

The STUCCO PLANO and PLANCHA effortlessly match any home and contribute to a timeless appearance. The 40-mm thick steel sandwich panels fit almost seamlessly together and offer protection from draughts and cold.

If you like colour, then the STUCCO COLORE is your ideal choice! You can choose from 18 colours in combination with refined shallow lining. A High-Line STUCCO garage door is a beautiful and sensible investment.



1021	3000	5010	6009	7016	8014	9002	9006	9007
9010	1015	5003	6005	7021	7022	7035	9001	9005



High-Line Satin, smooth surface

The High-Line Satin has a completely smooth surface WITHOUT surface texture. The durable white top layer can withstand the most extreme weather conditions. If you are looking for a modern design, the Satin is the right choice for you!

The panels of the Satin PLANO have no lining, giving the door a smooth timeless appearance. The Satin LIGNA panels have a single deep line. This gives a lively impression. The asymmetric deep lining of the Satin STYLO adds a playful dimension to the modern look. Of course, the doors from the High-Line Satin series can be supplied in practically any other colour, allowing the door to harmonise with your home.

Give your High-Line garage door your own style with the panels from the High-Line options palette. Each type of panel has a unique character, structure and surface texture.

PLANO

SATIN without
horizontal lining

LIGNA

SATIN with
ONE deep line

STYLO

SATIN with ONE
deep asymmetric line







Wood-Line, from the best 'wood'

Would you prefer a garage door with an authentic warm wood look? And do you also want a door with the life and ease of maintenance of a steel garage door? Then the Wood-Line series offers you a wide range of options. From completely classical with cassettes to exclusive and modern. You can hardly tell the Wood-Line panels from panels made of real wood and they give your home a refined, characterful appearance. However, they are as 'hard' as steel.

Four choices of Wood-Line panels

The basis of the Wood-Line garage door, just like the High-Line, is formed by 40-mm steel sandwich panels with an insulating, fire-retardant foam core (CFC free). The panels have various wooden surface textures. This gives the door the warm feeling and exclusive appearance of real wood. The extra-thick steel skin guarantees a long life. Moreover, the panels, unlike real wood, are more or less maintenance free.

Select below the wood look you prefer. Timeless and smooth or classical and rustic. The Wood-Line Plancha is available in light or dark oak, the other models are available in light oak. We will manufacture your door to the size and in the style you desire. The choice is yours!





Design-Line, architectural statement

Are you looking for a garage door with a special appearance, then consider our Design-Line series. The steel skin of the 40-mm thick sandwich panels used in this series is available in various designs: UMBRA, ANTRA, GRANITE and QUARTZ.

Each with its own character. From modern and trendy to natural and timeless. With a Design-Line garage door, you make an architectural statement and add a special touch to your home.

Design-Line Umbra

The pronounced pattern of lines and embossment (microprofiling) of the Design-Line Umbra gives your garage door a striking appearance. The Umbra is available as standard in four colours: RAL-9006, RAL-9007, RAL-9016 and RAL-7016.

Design-Line Antra

The Design-Line Antra is finished in an attractive anthracite colour and has an extraordinary texture. It gives your garage door a modern appearance, in perfect keeping with the latest trends and architectural styles.

Design-Line Granite

The name already says it, sturdy and strong! The high-quality surface texture combined with the dark-grey appearance make the Granite an absolute must! The Granite is an example of good taste that will add class to your home. Just like all of the panels in the Design-Line series, the Granite also meets the highest quality requirements.

Design-Line Quartz

If you're looking for a tranquil, natural appearance for your garage door, then the Design-Line range also offers the Quartz model. The extraordinary quartz-grey surface texture of this design has a fresh and surprisingly natural appearance. You will enjoy every door in the Design-Line series problem-free for years.

UMBRA 9006

UMBRA 9007

UMBRA 9016

UMBRA 7016

ANTRA

GRANITE

QUARTZ





Top-Line, ultimate creative freedom

The Top-Line garage door is a reliable and durable aluminium door, with a wide range of options. The Top-Line offers you the ultimate freedom to create your personal design.

The garage door is constructed from a maintenance-free aluminium frame, which you can fill with a variety of panels and/or glazing of your own choice. This can give your garage door a surprisingly different appearance.

Unlimited possibilities

The aluminium frame of the Top-Line garage door can be filled with a wide variety of panels. By combining transparent and blank panels, you can create a completely personal style. Both the section height and width can be chosen to optimally match your garage resulting in a harmonious whole. Moreover, the range of colours that is available for the frame and panels is almost unlimited and can be separately selected.

The Top-Line series offers you the optimum creative freedom. Together we can design a quality door that in its appearance, colour and field division is in total harmony with your home. We have the knowledge, skills and production facilities to also meet the more complex individual wishes. Top-Line sections can also be used as

Seal		
	Air (according to EN 12426)	Water (according to EN 12425)
Top-Line-series	Class 3	Class 3
Wind load (tested in accordance with EN 12424)		
	Up to clear width = 2500mm	Up to clear width = 5000mm
Top-Line-series	Class 5	Class 5
U-value		
Top-Line-series	2,7	

glazed sections in the High-Line, Wood-Line and Design-Line series. Using these panels you enhance not only the appearance of your door, but you also allow additional light to enter your garage.



Options and Accessories


Our garage doors can be fitted with the options or accessories shown below. Of course, all of the options and accessories we offer have been extensively tested for functionality and durability.

Simple operation

The garage door can be operated manually or by means of an electric motor. We will be pleased to advise you.

Colour options


As standard, more or less all of our doors are delivered with a durable white top coat. If you would prefer another colour, that is of course not a problem. The range of colours is almost unlimited. We would be pleased to inform you about the extensive range of colours on offer.



VARIOUS TYPES OF WINDOWS




TOP-LINE SECTIONS CAN BE USED IN NEARLY ALL DOORS.
DOOR INCLUDING THREE VENTILATION GRILLS.



PASS DOOR WITH LOWERED THRESHOLD.



DE LUXE HANDLE IN BLACK OR METALLIC



Guide rail systems, the silent strength

A guide rail system is used when opening and closing your garage door. Just like your garage door, this system is always made to measure. The quality and stability of the rail set determine to a large degree the life of your overhead door. Therefore we have consciously chosen to use innovatively constructed rails. The railsets are manufactured from high-quality galvanised steel.

Innovative guide rail systems

To be able to offer a quality solution for every situation,
we can supply five different rail systems.

Universal guide rail system (G200)

All of our guide rail systems and garage doors are constructed in such a way that the door rolls up and down vertically. The door does not protrude forward, in contrast to a solid tilting door. As a result, you can always use the space in front of and behind the garage door optimally. For the G200, we require a clearance of 200 mm above the door opening. All of our guide rail systems use galvanised torsion springs, which for the G200 are located directly above the door.

Standard guide rail system (G160)

Is the clearance limited for the installation of your new garage door? This does not need to be a problem. The G160 guide rail system only requires a top clearance of 160 mm, above the wall opening. Similar to the other guide rail systems, the G160 guide rail system has a very stable design, enabling us to guarantee a long life.

For minimum clearance height (G100)

Is the clearance limited for the installation of your new garage door? This does not need to be a problem. The G100 guide rail system only requires a top clearance of 160 mm, above the wall opening. Similar to the other guide rail systems, the G100 guide rail system has a very stable design, enabling us to guarantee a long life.

Replacing old tilting doors (R60)

The R60 guide rail system is pre-eminently suitable for replacing an old uninsulated tilting garage door. The system is designed in such a way that practically no structural changes are required to install the new door. The R60 requires just 60 mm of top clearance. The R60 is only supplied in a motorised version.

TS100 – Tension springs

The TS100 system is suitable for either a new garage door or when replacing your current door. The system uses tension springs that fit entirely in the vertical rails. The result is an aesthetic appearance. The TS100 rail system requires 100 mm of clearance above the opening in the wall. Faster assembly allows us to offer this system at a reduced price. The TS100 can be used for a door with a maximum size of 2500 mm high and 3250 mm wide.



Smart technology

To allow your garage door to run even more quietly and smoothly through the guide rail system, we have made several innovations. Moreover, the 30-mm-wide sealing rubbers provide a perfect seal.


Smart-Connection®

A good example of this smart technology is our patented Smart-Connection®. The Smart-Connection® forms the transition between the horizontal and the vertical rails. This innovative solution makes the door almost silent and less susceptible to wear.




Aluminium bend

We use an aluminium bend as standard in the guide rail system. This high-quality material gives the bend a perfect fit and prevents premature wear. Here as well we have chosen the highest quality solution.



Reliable seal

The garage door must keep out wind and water. Therefore, our doors are fitted with a 30-mm wide flexible EPDM rubber seal. The width and flexibility of the rubber guarantees a reliable seal and perfectly protects your garage from draught and moisture under varying weather conditions.



Powder-coated torsion springs


The torsion springs are a very important part of your garage door. Therefore, for the G and R rail systems we always use at least two torsion springs and for large doors up to four. Torsion springs balance your garage door and are therefore indispensable. We only use powder-coated torsion springs to avoid the risk of corrosion.





Every garage door that leaves our factory is built to order.
The production processes are fully automated, while retaining flexibility.
Accurately programmed machines guarantee exact dimensioning and
check the processes to the millimetre. Of course, we only use high-quality
materials in our production process.

After all, quality and custom-made solutions are our standard.



**CORD DOOR
SYSTEMS**



EMAIL US

info@corddoorsystems.co.uk



CALL US

07398 312503

www.corddoorsystems.co.uk